

PATIENT
Sample Patient

EXAM DATE
January 5, 2026

SEDATION
Yes (sleep)

BOWEL PREP
Good

ENDOSCOPIST
Jinseok Yoo, M.D.

WHOLE COLON

Examined completely

From the rectum to the cecum, including the end of the small intestine.

FINDING


1 small polyp — removed

About 4 mm, removed during the same exam. The site was closed with a clip.

OTHER FINDINGS

No other problems


No bleeding, no inflammation, no other polyps.

1 Your images


Cecum — start of the colon; the small round opening is the appendix



Ileocecal valve — where the small intestine joins the colon



Colon — normal lining



Colon — normal folds and blood vessels




Polyp found — small, about 4 mm



Right after removal — the removal site



Clip placed — closes the site; it falls off and passes naturally



Rectum — normal

2 What was done

Polyp	1 · about 4 mm · flat-raised
Removal	Snare polypectomy (removed with a small wire loop)
After removal	1 clip placed · no bleeding
Tissue test	Sent to the lab — result in about 1 week, sent to you by email

3 What it means

Most small polyps like this are harmless, but some can slowly grow into cancer over many years. Removing it now takes that risk away. The tissue test tells us what kind of polyp it was, and that decides when you need your next colonoscopy.

4 For the next 2 days

- Eat soft, light food today. Normal meals from tomorrow.
- No alcohol and no hard exercise for 2–3 days.
- A little blood on the toilet paper once or twice is common.
- Keep taking your usual medicines unless we told you otherwise.

5 Contact us right away if

- You pass a lot of blood or blood clots, or black stool
- You have strong belly pain that gets worse
- You have a fever or feel dizzy

Call +82-2-871-1936. After hours, go to the nearest emergency room and show this report.

Next colonoscopy Usually in about 5 years for one small polyp. We will confirm this when the tissue result comes back.

6 Original report (for your doctor at home)

Indication	Screening · Sedation: yes · Bowel preparation: good · Terminal ileum reached, cecal base identified
Findings	A 4 mm sessile polyp in the colon → cold snare polypectomy, hemoclip × 1 applied. No bleeding. No other mucosal lesion up to the cecal base.
Impression	Colon polyp, s/p polypectomy · Pathology: pending · Recommendation: follow-up after pathology result